MINERAL SURVEY No. 4070

ARIZONA		Land District.		
FIE	CLD NO	TES		
	VEY OF THE MIN			
Wallapai Chief I	Mining Compan	ly.		
	KNOWN AS THE	3		
Dolly Varden Lode				
Maynard		Mining 1	District,	
Mohave	County,	Arizona		
ection 31 & 36, Town	ship 20 N.	, Range 14 & 1	5 W.	
Surveyed under instruction	s dated June	, 1928		
	byL.	H. Foster U. S Mineral S		
Claim located	May 5th.	, 19 26		
Survey commenced	June 25th	, 19 28		
Survey completed	June 26th.	, 19 28		
Address of claimant	David E. H Pantages B	inckle, Atty ldg. Los Angeles, Ca	1	
DATES OF	F AMENDED LO	CATIONS.		
	lone			

T

feet

Dolly Varden lode

Beginning Cor. No. I.

All corners are identical with the location.

A two inch iron pipe, four feet long, with an iron cap. Set two feet in the ground, in a mound of earth and stone. A punch mark at the exact corner and stamped DV-1-4070.

The 1/4 section corner between sections 31-36 T. 20 N. R 14 & 15 West. G. & S.R. B. & M. bears N. 36° 35' E. 512.25 feet

Thence N. 80 56' E.

755

Cross wash 10 feet wide, running S. 45° E. To Cor. No. 2.

Root of versus side

from the discovery cut.

1500

A two inch iron pipe, four feet long, with an iron cap. Set two feet in the ground, in a mound of earth and stone. A punch mark at the exact corner and stamped DV-2-4070.

Thence S. 81° 04' E.

300 To the north end center monument of the location.

485

Cross wash, IO feet wide, running N. 30° E.

600

To Cor. No. 3

A two inch iron pipe, four feet long, with an iron cap. Set two feet in the ground, in a mound of earth and stone. A punch mark at the exact corner and stamped DV-3-4070.

Thence S. 80 56' W.

1200 Cross wash, 10 feet wide, running S. 45° E.

1500

To Cor. No. 4.

A two inch iron pipe, four feet long, with an iron cap. Set two feet in the ground, in a mound of earth and stone. A punch mark at the exact corner and stamped DV-4-4070.

Thence N. 81° 04' W.

300

To the south end center monument of the location.

600

To Cor. No. 1, the place of beginning.

Dolly Varden lode, continued.

All corners are identical with the location.

Variation, all corners, I5° 30' E.

No bearing objects available.

Lode Line over 1 - by demands

As near as can be determined from present development, the lode line of the claim in this survey extends N. 8° 56' E. 925 feet and S. 8° 56' W. 575 feet from the discovery cut.

Location

This survey is located in the Maynard Mining
District, Mohave County, Arizona, in sections 31 & 36
T. 20 N. Rs 14 & 15 W. G. & S. R. B. & M.

Area , coned

Dolly Varden lode ------20.66I Acres

Five Hundred Dollars Improvement

I certify that the value of the improvements and labor, made upon or for the benefit of this claim, by the Claimant or its grantors, is not less than Five Hundred Dollars and consists of the following;-

No.1 - The discovery cut, four feet wide, 10 feet high and extending S. 15° E. 15 feet. The face is on the lode line at 575 feet from the south end center.

Value -----\$45.00

No. 2- A shaft, 5 by 7 feet, timbered, dipping 62° East, 50 feet deep. On the lode line at 328 feet from the south end center.

Value -----\$1000.00

Report

All side and end lines and all other lines were measured direct on the ground.

The 1/4 corner between sections 31 & 36 T. 20 N.

Rs. 14 & 15 W. G. & S. R. B. & M, is a one inch pipe

with a brass cap, properly marked and set in the ground.

Adjoining and conflicting claims

There are no adjoining claims, this survey is surrounded on all sides by Public Domain.

Instrument and Meridian.

This survey was made with a 300 ft. steel tape and a Lietz mountain transit.

Meridian was determined by direct observation on the sun.

The difference between this survey and the location notice is due to error in the latter.

Kingman, Arizona June 29th. I928

U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by				
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and				
boundaries described in the foregoing field notes of the survey of the mining claim of				
Wallapai Chief Mining Company,				
known as the Dolly Varden lode				
and showing the respective capacities in which they acted.				
H. F. McGinley, Chainman.				
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				

FINAL OATHS OF ASSISTANTS.				
Wex I. H. F. McGinley				
and, do solemnly swear that we assisted				
L. H. Foster , United States Mineral Surveyor, in marking the corners and surveying				
the boundaries of the mining claim of Wallanai Chief Mining Company				
Brilly Tarion Inde				
known as the Dolly Varden Lode				
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his				
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully				
and correctly executed, and the corner and boundary monuments established according to law and the instruc-				
tions furnished by the United States Surveyor-General for Arizons				
A F. M. Ginley, Chainman.				
, Chainman.				
, Axman.				
, Flagman.				
Subscribed and sworn to by the above-named persons before me this 29				
day of				
many & Camon				
Maring Puber.				
5 6-1043				

FINAL OATH OF U. S. MINERAL SURVEYOR

I, L.H. Foster	, U. S. Mineral Surveyor,			
do solemnly swear that, in pursuance of instructions received	from the Office Cadastral Engineer,			
at Phoenix, Arizona , dated	June 22 1928 ,			
I have, in strict conformity to the laws of the United States,	, the official regulations and instruc-			
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly				
executed the survey of the Mining Claim of				
Wallapai Chief Mining Company	, known as the			
Dolly Varden Lode	·,			
situate in Maynard	Mining District,			
Mohave County, Ar.	izona , in Section			
36 & 31 , Township No. 20 N.	Range No. 15 & 14 W.			
and designated as Survey No. 4070	, as represented			
in the foregoing field notes, which accurately show the boundar	ries of said mining claim as distinctly			
marked by monuments on the ground, and described in the a	attached copy of the location certifi-			
cate, which was received by me from the Office Cadastral Engineer with said instructions, and				
that all corners of said survey have been established and p	erpetuated in strict accordance with			
the law, official regulations and instructions thereunder; and	I do further solemnly swear that the			
foregoing are the true and original field notes of said survey	and my report therein, and that the			
labor expended and improvements made upon said mining cla	aim by claimant or its			
grantors are as therein fully stated, and that the character,	extent, location, and itemized value			
thereof are specified therein with particularity and full detail	l, and that no portion of said labor			
or improvements so credited to this claim has been included i	in the estimate of expenditures upon			
any other claim.				
	12			
	The Min and Summar			
	U.S. Mineral Surveyor.			
of RI	to the			
Subscribed and sworn to by the said	600			
U. S. Mineral Surveyor, before me	29			
a juny vuvies	this			
day of, 192 8	\rightarrow			
many	6 James			
The	Halie -			
COLUMN TO SECULIA DE CAPACITA	y ruce,			
mes ou your				
Mar 20-1931				

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, PUBLIC SURVEY OFFICE OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	August 17	, 1928
I, U.S. Surveyor-General for Office	CADASTRAL ENGINEER . at Phoenix,	Arizona,
do hereby certify that the foregoing tran	script of the Field Notes, return and a	pproval of the survey
of the mining claim of		
Wallapai	Chief Mining Company	
known as the	OLLY VARDEN lode	
situate in	Maynard	
Mining District, Mohave	County,	Arizona
in Section 8 31 & 36, Township No	20 N. , Range No. 14 & 1	5 W., and
designated as Survey No. 4070		
this office; that said Field Notes furnish		
incorporated into a patent, serve fully to	dentify the premises, and that such refe	erence is made therein
to natural objects or permanent monument	nts as will perpetuate and fix the <i>locus</i> t	hereof.
And I further certify that five hun-	dred dollars' worth of labor has been	expended or improve-
ments made upon said mining claim by	claimant or 118 grantors, and tha	t said improvements
consist of 1 out and 1 shaft,	total value \$1045.	
,		

		19 00
and that no portion of said labor or imp	rovements has been included in the esti	mate of expanditures
upon any other claim.	oromonio nuo occir inviduota in pro esti	anto or expedictures
	, filed in the U.S. Land Office atP	noenix.
Andmono		
16 COTTECT	and in conformity with the foregoing I	ield Notes.
	John D. Adams	
77. 9.	Control Community Control Cont	RAI ENGINEED

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL PUBLIC SURVEY OFFICE

	Phoenix, Arizona,	
		August 17 , 192 8
I, U. S. Surveyor General for OFFICE CADASTRAL ENGINEER	at Phoenix,	Arizona,
do hereby certify that the foregoing and hereto attached	Field Notes and l	Return of the Survey of the
Mining Claim of		
Wallapai Chief I	Mining Compa	ny
		, known as the
DOLLY VARI	DEN lode	
situate in Mayna ro	1	mining district,
Mohave County,		Arizona
in Section \$ 31 and 36, Township No	20 N.	Range No. 14 & 15 W.
, designated as Survey No	4070	
executed by L. H. Foster		, U. S. Mineral
Surveyor, June 25-26	, 1928, w	nder my instructions dated
June 22 , 1928, have	e been critically ex	kamined and the necessary
corrections and explanations made, and the said Field Not	tes and Return, an	d the survey they describe,
are hereby approved. The certified copy of the location	certificate filed by	the applicant for survey is
on file in this office and a true copy of said certified copy	of said location	certificate is included and
made a part of the transcript of the field notes.		
		John Clan
77.50	Samman of Can and 1	OFFICE CADASTRAL ENGINEER